

ENVIRONMENTAL PRODUCT DECLARATION

In accordance with EN 15804 and ISO 14025

VARIO® XTRA Membrane

Date of publication: 2018-06-11

Validity: 5 years

Valid until: 2023-06-11

Based on Products and construction services 2012:01

Version 2.2 Valid until: 2019-03-03

Scope of the EPD®: Europe





The environmental impacts of this product have been assessed over its whole life cycle. Its Environmental Product Declaration has been verified by an independent third party. **Registration number**

The International EPD® System: S-P-01141



General information

Manufacturer: Saint- Gobain ISOVER

Programme used: The International EPD® System. More information at www.environdec.com

EPD® registration number: S-P-01141

PCR identification: EN 15804 Sustainability of construction works – Environmental product declaration - core rules for the product category of construction product and PCR: Products and

construction services 2012:01 Version 2.2 Valid until: 2019-03-03

Product name and manufacturer represented: VARIO® XTRA; Saint- Gobain ISOVER, Les Miroirs,

18 Avenue d'Alsace, 92400, Courbevoie.

Owner of the declaration: Saint- Gobain ISOVER EPD® prepared by: G&I LCA Central Team

Contact: Michael Medard Email: Michael.Medard@saint-gobain.com

Declaration issued: 2018-06-11, valid until: 2023-06-11

EPD program operator	The International EPD® System. Operated by									
	EPD® International AB. www.environdec.com.									
PCR review conducted by	The Technical Committee of the International									
	EPD® System									
LCA and EPD® performed by Patricia Jimenez Diaz										
Independent verification of the environmental ISO 14025:2010	declaration and data according to standard EN									
Internal	External									
Verifier Yannick Le Guern, ELYS Conseil										

Product description

Product description and description of use:

This Environmental Product Declaration (EPD®) describes the environmental impacts of 1 m² of airtight membrane.

The membrane Vario® Xtra consists of a polyamide-based film paired with a polypropylene non-woven fabric which provides a broader range of water vapor diffusion resistance.

Vario[®] Xtra is used in building, for instance loft, sarking, attic floor, massive walls with internal insulation and timber frame wall. With a Sd-value from 0.3m to 25m, Vario[®] Xtra significantly limits the water transfer from the building interior to the construction, while allowing damp materials to dry out effectively depending on the relative humidity.

The airtight membrane last for the average building's lifetime (which is often set at 50 years as a default), or as long as the insulated building component is part of the building.

Technical data/physical characteristics (for a thickness of 220 µmmm):

Dynamic diffusion equivalent air layer thickness (Sd value): 0.3 ≤ Sd ≤ 25m

Tensile strength: MD ≥ 140 N/50mm; CD ≥ 117 N/50mm (MD: machine direction; CD: cross direction)

Tear resistance (nail shank): ≥ 65N

Reaction to fire (Euroclass): E

Description of the main components and/or materials for 1 m² of product for the calculation of the EPD®:

PARAMETER	VALUE
Quantity of membrane for 1 m ² of product	80 g
Thickness	220 μm
Packaging for the transportation and distribution	Cardboard: 7.57 g/m ² Polyethylene (low-density): 0.58 g/m ² Wood pallet: 5.95 g/m ²
Product used for the Installation	5 g of metallic staples

The product does not contain any substance from the candidate list to authorization of the REACH legislation with a concentration above 0,1% (w/w).

The verifier and the programme operator do not make any claim nor have any responsibility of the legality of the product.


LCA calculation information

	1 m² of airtight membrane with a Sd-value from
FUNCTIONAL UNIT	0.3m to 25m
SYSTEM BOUNDARIES	Cradle to Grave. Mandatory stages = A1-3, A4-5,
OTOTEM BOOMBARIES	B1-7, C1-4.
	50 years
	The RSL chosen corresponds to the period at the end of which it is assumed a renovation of the
REFERENCE SERVICE LIFE (RSL)	building caused by needs independent of the life of
KEI EKENGE GEKVIGE EII E (KGE)	the product, (may exceed 50 years). The product
	maintains its technical performance during the entire
	life cycle
	In the case that there is not enough information, the
	process energy and materials representing less than
	1% of the whole energy and mass used can be excluded (if they do not cause significant impacts).
	The addition of all the inputs and outputs excluded
	cannot be bigger than the 5% of the whole mass and
	energy used, as well of the emissions to environment occurred.
CUT-OFF RULES	Flows related to human activities such as employee
	transport are excluded.
	The construction of plants, production of machines
	and transportation systems are excluded since the
	related flows are supposed to be negligible compared
	to the production of the building product when compared at these systems lifetime level.
ALLOCATIONS	Allocation criteria are based on mass.
	Scope: Europe
	Production in Austria, 2013 (period of primary data
CEOCD ADUICAL COVERACE	collection)
GEOGRAPHICAL COVERAGE AND TIME PERIOD	Secondary data is based on DEAM (TEAM
AND TIME PERIOD	5.2/PWC) database updating with an energetic
	process from 2011 and ecoinvent v2.2 (2010) and
	v3.3 (2016) database

- "EPDs of construction products may be not comparable if they do not comply with EN 15804"
- "Environmental Product Declarations within the same product category from different programs may not be comparable"

Life cycle stages

Flow diagram of the Life Cycle



Product stage, A1-A3

Description of the stage: the product stage of the membrane products is subdivided into 3 modules A1, A2 and A3 respectively "Raw material supply", "transport" and "manufacturing".

The aggregation of the modules A1, A2 and A3 is a possibility considered by the EN 15 804 standard. This rule is applied in this EPD.

Description of the scenarios and other additional technical information:

A1, Raw materials supply

This module takes into account the extraction and processing of all raw materials and energy which occur upstream to the studied manufacturing process


Specifically, the raw material supply covers production of granulate polymers for the film extrusion as well as the glue material.

A2, Transport to the manufacturer

The raw materials are transported to the manufacturing site. The modelling includes: road, boat and train (average values).

A3, Manufacturing

This module includes the manufacturing of the product and packaging. Specifically, it covers the manufacturing of polymeric membranes, the assembly, winding and packing steps. A loss rate is considered at this step as well as the amount of packaging waste (cardboard mandrel and polyethylene). In addition, the production of packaging is taken into account at this stage.



Construction process stage, A4-A5

Description of the stage: the construction process is divided into 2 modules: A4, transport to the building site and A5, installation in the building.

A4, Transport to the building site: this module includes transport from the production gate to the building site.

Transport is calculated on the basis of a scenario with the parameters described in the following table.

PARAMETER	VALUE/DESCRIPTION
Fuel type and consumption of vehicle or vehicle type used for transport e.g. long distance truck, boat, etc.	Average truck trailer with a 24t payload, diesel consumption 38 liters for 100 km
Distance	1560 km
Capacity utilisation (including empty returns)	100 % of the capacity in volume 30 % of empty returns
Bulk density of transported products	2520 m² per pallet and 10 pallet per truck
Volume capacity utilisation factor	1

A5, Installation in the building: this module includes:

PARAMETER	VALUE/DESCRIPTION
Materials for installation (specified by materials)	5 g metallic staples Note: other materials could be necessary for installation of the product.
Water use	None
Other resource use	None
Quantitative description of energy type regional mix) and consumption during the installation process	None
Wastage of materials on the building site before waste processing, generated by the product's installation (specified by type)	10 % membranes and staples Cardboard: 7.57 g/m² Polyethylene (low-density): 0.58 g/m² Wood pallet : 5.95 g/m²
Distance	25 km to landfill by truck
Output materials (specified by type) as results of waste processing at the building site e.g. of collection for recycling, for energy recovering, disposal (specified by route)	Packaging wastes are 100 % collected and modelled as recovered matter Membranes losses and metallic staples are landfilled
Direct emission to air, soil or water	None

Use stage (excluding potential savings), B1-B7

Description of the stage: the use stage is divided into the following modules:

- B1: Use
- B2: Maintenance
- B3: Repair
- B4: Replacement
- B5: Refurbishment
- B6: Operational energy use
- B7: Operational water use

Description of the scenarios and additional technical information:

Once installation is complete, no actions or technical operations are required during the use stages until the end of life stage. Therefore, membranes have no impact (excluding potential energy savings) on this stage.

End of Life Stage, C1-C4

Description of the stage: this stage includes the next modules:

C1, Deconstruction, demolition

The de-construction and/or dismantling of membranes take part of the demolition of the entire building. In our case, the environmental impact is assumed to be very small and can be neglected

C2, Transport to waste processing

The model use for the transportation (see A4, transportation to the building site) is applied.

C3, Waste processing for reuse, recovery and/or recycling

The product is considered to be landfilled without reuse, recovery or recycling.

C4, Disposal

The membrane is assumed to be 100% landfilled.

Description of the scenarios and additional technical information:

End of life:

PARAMETER	VALUE/DESCRIPTION
Collection process specified by type	The entire product is collected alongside any mixed construction waste
	80 g of membrane(collected with mixed construction waste)
Recovery system specified by type	There is no recovery, recycling or reuse of the product once it has reached its end of life phase.
Disposal specified by type	100% of the membrane waste is landfilled
Assumptions for scenario development (e.g. transportation)	We assume that the waste going to landfill will be transported by truck with 24 tons payload, using diesel as a fuel consuming 38 litres per 100km. Distance covered is 25 km

Reuse/recovery/recycling potential, D

Description of the stage: module D has not been taken into account.

LCA results

LCA model, aggregation of data and environmental impact are calculated from the TEAM software. CML 4.1 impact method has been used, together with TEAM and ecoinvent databases to obtain the inventory of generic data.

Raw materials and energy consumption, as well as transport distances have been taken directly from the manufacturing plant (Production data according 2013).

All figures refer to a functional unit of 1 m² of airtight membrane with a Sd-value from 0.3m to 25m.

						ENVIRON	IMENTAL	IMPACTS								
		Product stage		ruction age					End of li	fe stage		very,				
Parameters		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstructio n / demolition	C2 Transport	C3 Waste processing	C4 Disposal	D Reuse, recovery, recycling
CO2	Global Warming Potential	4,7E-01	6,0E-02	6,9E-02	0	0	0	0	0	0	0	0	1,1E-04	0	3,3E-02	MNA
	(GWP) - kg CO2 equiv/FU		The global warming potential of a gas refers to the total contribution to global warming resulting from the emission of one unit of that gas relative to one unit of the reference gas, carbon dioxide, which is assigned a value of 1.													
	Ozone Depletion (ODP) kg CFC 11 equiv/FU	1,6E-08	4,3E-08	6,8E-09	0	0	0	0	0	0	0	0	8,2E-11	0	9,6E-10	MNA
		Destruction of the stratospheric ozone layer which shields the earth from ultraviolet radiation harmful to life. This destruction of ozone is caused by the breakdown of certain chlorine and/or bromine containing compounds (chlorofluorocarbons or halons), which break down when they reach the stratosphere and then catalytically destroy ozone molecules.														
a=	Acidification potential (AP)	1,4E-03	2,7E-04	2,2E-04	0	0	0	0	0	0	0	0	5,2E-07	0	1,1E-05	MNA
	kg SO2 equiv/FU	Acid depositions have negative impacts on natural ecosystems and the man-made environment incl, buildings. The main sources for emissions of acidifying substances are agriculture and fossil fuel combustion used for electricity production, heating and transport.														
SVA.	Eutrophication potential (EP) kg (PO4)3- equiv/FU	6,2E-04	6,4E-05	1,0E-04	0	0	0	0	0	0	0	0	1,2E-07	0	2,4E-06	MNA
	kg (PO4)3- equiV/FO			Exces	ssive enric	hment of wa	aters and co	ntinental sur	faces with n	utrients, and	the associa	ted adverse	biological ef	fects.		
	Photochemical ozone creation (POPC)	2,5E-04	4,3E-05	4,7E-05	0	0	0	0	0	0	0	0	8,1E-08	0	6,5E-06	MNA
	kg Ethene equiv/FU		Th	ne reaction o	f nitrogen				ght about by sence of sur				a photocher	mical reacti	on.	
	Abiotic depletion potential for non-fossil resources (ADP-elements) - kg Sb equiv/FU	9,9E-09	1,1E-11	1,3E-08	0	0	0	0	0	0	0	0	2,1E-14	0	1,8E-12	MNA
(PA)	Abiotic depletion potential for	10	7,7E-01	1,3	0	0	0	0	0	0	0	0	1,4E-03	0	1,5E-02	MNA

Consumption of non-renewable resources, thereby lowering their availability for future generations.

fossil resources (ADP-fossil fuels) - *MJ/FU*

RESOURCE USE

		NL.	SOURCE	JSL													
	Product stage		ruction ss stage	Use stage								End of life stage					
Parameters	A1/A2/A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishmen t	B6 Operational energy use	B7 Operational water use	C1 Deconstructio n / demolition	C2 Transport	C3 Waste processing	C4 Disposal	D Reuse, recovery, recycling		
Use of renewable primary energy excluding renewable primary energy resources used as raw materials - MJ/FU	6,4E-01	3,7E-04	7,5E-02	0	0	0	0	0	0	0	0	7,1E-07	0	1,4E-04	MNA		
Use of renewable primary energy used as raw materials <i>MJ/FU</i>	2,6E-01	0	2,6E-02	0	0	0	0	0	0	0	0	0	0	0	MNA		
Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials) <i>MJ/FU</i>	9,0E-01	3,7E-04	1,0E-01	0	0	0	0	0	0	0	0	7,1E-07	0	1,4E-04	MNA		
Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials - MJ/FU	6,5	7,7E-01	8,6E-01	0	0	0	0	0	0	0	0	1,5E-03	0	1,3E-02	MNA		
Use of non-renewable primary energy used as raw materials <i>MJ/FU</i>	3,3	0	3,4E-01	0	0	0	0	0	0	0	0	0	0	0	MNA		
Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) - MJ/FU	9,8	7,7E-01	1,2	0	0	0	0	0	0	0	0	1,5E-03	0	1,3E-02	MNA		
Use of secondary material kg/FU	2,4E-03	0	2,4E-04	0	0	0	0	0	0	0	0	0	0	0	MNA		
Use of renewable secondary fuels- MJ/FU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	MNA		
Use of non-renewable secondary fuels - MJ/FU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	MNA		
Use of net fresh water - m3/FU	1,8E-03	7,3E-05	2,6E-04	0	0	0	0	0	0	0	0	1,4E-07	0	7,1E-08	MNA		

WASTE CATEGORIES																		
	Product stage	Constr process		Use stage								End-of-life stage						
Parameters	A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstruction / demolition	C2 Transport	C3 Waste processing	C4 Disposal	D Reuse, recovery, recycling			
Hazardous waste disposed kg/FU	2,6E-03	2,3E-05	3,1E-03	0	0	0	0	0	0	0	0	4,4E-08	0	0	MNA			
Non-hazardous waste disposed kg/FU	2,3E-02	6,3E-05	2,1E-02	0	0	0	0	0	0	0	0	1,2E-07	0	7,9E-02	MNA			
Radioactive waste disposed kg/FU	1,2E-05	1,2E-05	2,7E-06	0	0	0	0	0	0	0	0	2,3E-08	0	0	MNA			

						OTHER	OUTPUT	FLOWS								
			Constr process					Use stage			rery,					
Parameters		A1 / A2 / A3	A4 Transport	A5 Installation	B1 Use	B2 Maintenance	B3 Repair	B4 Replacement	B5 Refurbishment	B6 Operational energy use	B7 Operational water use	C1 Deconstructio n / demolition	C2 Transport	C3 Waste processing	C4 Disposal	D Reuse, recovery, recycling
	Components for re-use kg/FU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	MNA
	Materials for recycling kg/FU	8,3E-06	3,2E-07	1,4E-02	0	0	0	0	0	0	0	0	6,0E-10	0	0	MNA
3	Materials for energy recovery kg/FU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	MNA
3	Exported energy MJ/FU	0	0	0	0	0	0	0	0	0	0	0	0	0	0	MNA

LCA interpretation

The following figure refers to a functional unit of 1 m² of airtight membrane with a Sd-value from 0.3m to 25m.



Global Warming Potential (Climate Change) (GWP)

When analysing the above figure for GWP, it can clearly be seen that the majority of contribution to this environmental impact is from the production modules (A1-A3). This is primarily because the sources of greenhouse gas emissions are predominant in this part of the life cycle. CO2 is generated by the raw material consumption. The second most important contribution comes from the construction stage (A4-A5). This impact is mainly generated by the fuel consumption in transport vehicles and the waste during the installation stage.

Non-renewable resources consumptions

A similar trend is visible for "non-renewable resources consumption". In the same way, raw material and fuel consumption has a strong contribution on this indicator.

Energy Consumptions

As we can see, modules A1 - A3 have the highest contribution to total energy consumption. Energy consumed during the production of the raw materials used to create the membrane.

Water Consumption

As we don't use water in any of the other modules (A4 - A5, B1 - B7, C1 - C4), the consumption of water related to the A1-A3 stage is related to the energy consumption (electricity) during the industrial process.

Waste Production

Waste production does not follow the same trend as the above environmental impacts. The largest contributor is the end of life module. This is because the entire product is here sent to landfill once it reaches the end of life state. The second visible contribution comes from the production stage and it is related to the energy consumption.

Other environmental indicators

Regarding the indoor environment, the VARIO® KM DUPLEX UV Membrane is ranked A+ according to the decree of 19 April 2011 on the French labelling of construction products or wall or floor coating and paints and varnishes on their volatile pollutant emissions.

Bibliography

- ISO 14040:2006: Environmental Management-Life Cycle Assessment-Principles and framework.
- ISO 14044:2006: Environmental Management-Life Cycle Assessment-Requirements and guidelines.
- ISO 14025:2006: Environmental labels and declarations-Type III Environmental Declarations-Principles and procedures.
- PCR: Products and construction services 2012:01 version 2.2 valid until: 2019-03-03
- UNE-EN 15804:2012+A1:2013: Sustainability of construction works Environmental product declarations Core rules for the product category of construction products
- EPD International (2017) General Programme Instructions for the International EPD® System.
 Version 3.0, dated 2017-12-11. www.environdec.com
- Saint-Gobain Environmental Product Declaration Methodological Guide for Construction Products, Version 3.0.1 (2013)
- European Chemical Agency, Candidate List of substances of very high concern for Authorisation.

http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp