


WALL CONSTRUCTION
ACOUSTIC RATING
FIRE RATING
**GWP Total
CO₂e KG / M²***
**GWP Fossil
CO₂e KG / M²***

12.5mm Recoma board
70mm Wood Tube studs with Ekolution HF
12.5mm Recoma board

44 Rw (dB)
-27,9
2,1

2x 12.5mm Recoma board
70mm Wood Tube studs with Ekolution HF
2x 12.5mm Recoma boards

52 Rw (dB)
-49,1
3,1

12.5mm plasterboard
12.5mm Recoma board
70mm Wood Tube studs with Ekolution HF
12.5mm Recoma board
12.5mm plasterboard

53 Rw (dB)
EI 60
-24,8
6,5

2x 12.5mm plasterboard
12.5mm Recoma board
70mm Wood Tube studs with Ekolution HF
12.5mm Recoma board
2x 12.5mm plasterboard

56 Rw (dB)
EI 120
-21,6
10,9

12mm Recoma
95mm C+ studs
12mm Recoma

44 Rw (dB)
-18,0
4,2

12mm Recoma
95mm C+ studs with 45mm mineral wool
12 mm Recoma

52 Rw (dB)
-17,5
4,7

12mm Recoma
95mm C+ studs with 95mm mineral wool
12mm Recoma

54 Rw (dB)
-17,1
5,2

13mm plasterboard
12mm Recoma
95mm C+ studs with 95mm mineral wool
12mm Recoma
13mm plasterboard

59 Rw (dB)
-13,9
9,6

12.5mm Recoma
70mm MR steel stud + Rockwool insulation
12.5mm Recoma

52 Rw (dB)
-13,7
5,2

12.5mm plasterboard
12.5mm Recoma
70mm MR steel stud + Rockwool insulation
12.5mm Recoma
12.5mm plasterboard

58 Rw (dB)
EI 90
-10,5
9,6

12.5mm Recoma
95mm MR steel stud + Rockwool insulation
12.5mm Recoma

56 Rw (dB)
-13,7
5,2

12.5mm plasterboard
12.5mm Recoma
95mm MR steel stud + Rockwool insulation
12.5mm Recoma
12.5mm plasterboard

60 Rw (dB)
EI 90
-10,5
9,6

12.5mm Recoma
70mm wood stud + Hunton Nativo
12.5mm Recoma

48 Rw (dB)
-30,6
2,2

12.5mm plasterboard
12.5mm Recoma
70mm wood stud + Hunton Nativo
12.5mm Recoma
12.5mm plasterboard

49 Rw (dB)
Coming soon
-27,4
6,6

12.5mm Recoma
95mm wood stud + Hunton Nativo
12.5mm Recoma

48 Rw (dB)
-30,6
2,2

12.5mm Plasterboard
12.5mm Recoma
95mm wood stud + Hunton Nativo
12.5mm Recoma
12.5mm Plasterboard

51 Rw (dB)
Coming soon
-27,4
6,6

12.5mm Recoma
70mm metal stud + Hunton Nativo
12.5mm Recoma

51 Rw (dB)
-22,6
5,2

12.5mm plasterboard
12.5mm Recoma
70mm metal stud + Hunton Nativo
12.5mm Recoma
12.5mm plasterboard

57 Rw (dB)
Coming soon
-19,4
9,6

12.5mm Recoma
95mm metal stud + Hunton Nativo
12.5mm Recoma

54 Rw (dB)
-22,6
5,2

12.5mm Plasterboard
12.5mm Recoma
95mm metal stud + Hunton Nativo
12.5mm Recoma
12.5mm Plasterboard

57 Rw (dB)
Coming soon
-19,4
9,6

12mm Recoma
70mm Metal stud + 45mm Hunton Nativo
12mm Recoma

50 Rw (dB)
-22,6
5,2

12mm Plasterboard
12mm Recoma
70mm metal stud + 45mm Hunton Nativo
12mm Recoma
12mm Plasterboard

57 Rw (dB)
-19,4
9,6

12.5mm Recoma
70mm Wood stud + Rockwool
12.5mm Recoma

Coming soon

12.5mm plasterboard
12.5mm Recoma
70mm Wood Stud + Rockwool
12.5mm Recoma
12.5mm plasterboard

Coming soon
Coming soon

12.5mm Recoma
95mm Wood stud + Rockwool
12.5mm Recoma

Coming soon

12.5mm Plasterboard
12.5mm Recoma
95mm Wood stud + Rockwool
12.5mm Recoma
12.5mm Plasterboard

Coming soon
Coming soon
Contact:

info@recoma.se
+46 451 390 500
www.recoma.se


Acoustic testing by Akustikverkstan AB, accredited by SWEDAC (ISO/IEC 17025)

Testing performed by standard SS-EN ISO 10140-2:2021 and evaluated per SS EN 717-1:2020

* Data from Prodikt.com
(A1-A3 GWP)